

# 6000mAh 11.4v 3S1P FPV Lipo Battery

### **Basic Information**

Brand Name: Iohuite

Model Number: 3S LIPO BATTERY

Minimum Order Quantity:

• Price: \$39.90/packs 1-499 packs

• Packaging Details: as export package

• Supply Ability: 100000 Pack/Packs per Week



### **Product Specification**

Weight: 345g
The Discharge Rate: 11.4V
Capacity: 6000mah
Cells: 3s1P
Voltage Per Pack: 11.4V
Discharge Rate: 80C

• Suggest Charge Rate: 1C (Max 5C)

• Balancer Connector Type: 3PINS JST-XH XT60 XT90

• SIZE(H\*W\*L): 28\*44\*138MM

• Highlight: 3S1P FPV Lipo Battery,

6000mAh FPV Lipo Battery



# **Product Description**





Battery Type: LiPo

Capacity: 6000mAh

Voltage: 11.4V

Net Weight: 345g

Size (L\*W\*H): 138\*44\*28mm

Assemble: 3S1P

Discharge Rate: 80C

Charge Rate: 1C to 5C

Charge Connector: XH-JST 4P

Discharge Connector: XT60

# **Amass Connector**

★ Other connector if you need, please feel free contact me, thanks



XT150+AS150 EC5 XT150 EC3 Size(mm) Capacity Weight 88x34x20 2S 2200mah 50C 114g=4oz=0.25lb 131g=4.62oz=0.28lb 2S 2600mah 30C 115x34x17 2S 5000mah 50C 155x48x16 260g=9.17oz=0.57lb 2S 6000mah 60C Hard 138x46x24 295g=10.4oz=0.65lb 2S 7000mah 55C Hard 138x46x24 312g=11oz=0.68lb 125g=4.4oz=0.27lb 3S 1500mah 65C 70x43x22 3S 1500mah 100C 90x34x22 141g=4.97oz=0.31lb 3S 1800mah 50C 142g=5oz=0.31lb 105x34x20 3S 2200mah 30C 106x34x24 168g=5.92oz=0.37lb 3S 2600mah 35C T 115x34x26 189g=6.66oz=0.41lb 3S 3000mah 60C 225g=7.93oz=0.49lb 135x42x21 3S 5000mah 50C 155x48x24 376g=13.26oz=0.86lb 3S 6000mah 50C 155x44x29 425g=14.99oz=0.93lb 3S 6000mah 50C Hard 138x46x39 425g=14.99oz=0.93lb 4S 1500mah 100C 70x43x29 164g=5.78oz=0.36lb 4S 2200mah 30C 106x34x32 220g=7.76oz=0.48lb 4S 3300mah 60C 135x42x30 318g=11.21oz=0.7lb 4S 4000mah 60C 135x42x33 403g=14.21oz=0.88lb 4S 5000mah 50C 492g=17.35oz=1.08lb 155x48x32 4S 6000mah 50C 155x44x38 558g=19.68oz=1.23lb 6S 1800mah 50C 105x34x40 270g=9.52oz=0.59lb 6S 3300mah 60C 135x42x42 436g=15.37oz=0.96lb

155x48x48

155x48x54

725g=25.57oz=1.59lb

809g=28.53oz=1.78lb

6S 5000mah 50C

6S 6000mah 50C

## Specification

item value

Warranty 1year

Anode Material Other

Chargeable Yes

Application Toys, Power Tools, BOATS

**Battery Size** Li-polymer **Brand Name** LOHUITE

3S LIPO BATTERY Model Number

Weight 345g The charging ratio 11.4V

Size(H\*W\*L) 28\*44\*138mm

0-45 Storage Type

6000mah Capacity

Cells 2s

11.4V Voltage per pack Discharge rate 80C

Suggest chargerr Balance charge Suggest charge rate 1C (Max 5C)

Suggest charger Balance charger

3PINS JST-XH XT60 XT90 Balancer Connector Type

Shenzhen Lohuite Technology Co., Ltd.



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen