

## 14.8V 4s 10000mah Lipo Battery 12C 25C With W/XT-30 Rc Helicopter Battery

Our Product Introduction

for more products please visit us on lohuite.com

### Basic Information

- Brand Name: lohuite
- Model Number: 4S LIPO BATTERY
- Minimum Order Quantity: 2 packs
- Price: \$99.99/packs 2-49 packs
- Packaging Details: as export package
- Supply Ability: 100000 Pack/Packs per Week



### Product Specification

- The Charging Ratio: 1-5C
- The Discharge Rate: 12C-25C
- Storage Type: 0-45
- Capacity: 10000mah
- Cells: 4s1P
- Voltage Per Pack: 14.8V
- Discharge Rate: 12C
- Balancer Connector Type: 3PINS JST-XH XT60 XT90
- Highlight: Helicopter 4s 10000mah Lipo Battery ,  
14.8V Rc Helicopter Battery ,  
12C Rc Helicopter Battery

## Product Description

4S Lipo Battery 14.8V 10000mAh 12C 25C with w/XT-30 for UAV Drone Quadcopter Helicopter Airplane

## Product Description

Lithium Polymer batteries are used in many RC hobby industries. Over the last few years, Lipo batteries have become the most popular battery choice for anyone looking for a longer run time and higher power.

Lipo batteries weigh less and can be made into almost any size or shape. Lipo batteries have higher capacities, hold more power and have a higher discharge rate, meaning they pack more punch. For the safe use and storage of Lipo batteries, you need to follow

the rules and treat the batteries with the respect they deserve.

**Specs: Minimum Capacity: 10000mAh Configuration: 4S1P / 14.8V / 4Cell Constant Discharge: 12C Peak Discharge (10sec): 24C Pack Weight: 902g Pack Size: 168 x 69 x 38mm Charge Plug: JST-XH Discharge Plug: XT90**





## Amass Connector

★ Other connector if you need, please feel free contact me, thanks



XT90



XT60



XT90-S



T/Deans



EC5



XT150



XT150+AS150



EC3

Capacity	Size(mm)	Weight
2S 2200mah 50C	88x34x20	114g=4oz=0.25lb
2S 2600mah 30C	115x34x17	131g=4.62oz=0.28lb
2S 5000mah 50C	155x48x16	260g=9.17oz=0.57lb
2S 6000mah 60C Hard	138x46x24	295g=10.4oz=0.65lb
2S 7000mah 55C Hard	138x46x24	312g=11oz=0.68lb
3S 1500mah 65C	70x43x22	125g=4.4oz=0.27lb
3S 1500mah 100C	90x34x22	141g=4.97oz=0.31lb
3S 1800mah 50C	105x34x20	142g=5oz=0.31lb
3S 2200mah 30C	106x34x24	168g=5.92oz=0.37lb
3S 2600mah 35C T	115x34x26	189g=6.66oz=0.41lb
3S 3000mah 60C	135x42x21	225g=7.93oz=0.49lb
3S 5000mah 50C	155x48x24	376g=13.26oz=0.86lb
3S 6000mah 50C	155x44x29	425g=14.99oz=0.93lb
3S 6000mah 50C Hard	138x46x39	425g=14.99oz=0.93lb
4S 1500mah 100C	70x43x29	164g=5.78oz=0.36lb
4S 2200mah 30C	106x34x32	220g=7.76oz=0.48lb
4S 3300mah 60C	135x42x30	318g=11.21oz=0.7lb
4S 4000mah 60C	135x42x33	403g=14.21oz=0.88lb
4S 5000mah 50C	155x48x32	492g=17.35oz=1.08lb
4S 6000mah 50C	155x44x38	558g=19.68oz=1.23lb
6S 1800mah 50C	105x34x40	270g=9.52oz=0.59lb
6S 3300mah 60C	135x42x42	436g=15.37oz=0.96lb
6S 5000mah 50C	155x48x48	725g=25.57oz=1.59lb
6S 6000mah 50C	155x48x54	809g=28.53oz=1.78lb

## Company Profile

---





LOHUITE in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.Mainly have 3 series lipo battery:High energy density,Low temperature and high temperature.

## FAQ

### 1. who are we?

We are based in Guangdong, China, start from 2001,sell to North America(27.00%),South America(25.00%),South Asia(10.00%),Southern Europe(10.00%),Central America(10.00%),Eastern Europe(10.00%),Domestic Market(1.00%),Oceania(1.00%),Africa(1.00%),Northern Europe(1.00%),Southeast Asia(1.00%),Western Europe(1.00%),Eastern Asia(1.00%),Mid East(1.00%). There are total about 301-500 people in our office.

### 2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

### 3.what can you buy from us?

lithium polymer battery,lipo battery,nimh battery,battery,lithium ion battery

#### 4. why should you buy from us not from other suppliers?

LOHUIITE specialized in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.have 3 series lipo battery:High energy density,Low temperature and high temperature.

#### 5. what services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FAS,CIP,FCA,CPT,DEQ,DDP,DDU,Express Delivery,DAF,DES

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,MoneyGram,Credit Card,PayPal,Western Union,Cash,Escrow;

Language Spoken:English,Chinese,Spanish,Japanese,Portuguese,German,Arabic,French,Russian,Korean,Hindi,Italian



**Shenzhen Lohuite Technology Co., Ltd.**



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District,  
Shenzhen