

18000mAh 44.4v 12S1P 18Ah UAV Lipo Battery Lightweight 1 Year Warranty

Basic Information

Brand Name: Iohuite

Model Number: 12S LIPO BATTERY

Minimum Order Quantity:

• Price: \$249.90/packs 1-49 packs

• Packaging Details: as export package

• Supply Ability: 100000 Pack/Packs per Week



Product Specification

. Weight: 2466g 44.4V . The Charging Ratio: 44.8V • The Discharge Rate: 0-45 • Storage Type: 18000mah · Capacity: · Cells: 6s 25C-50C • Discharge Rate: Suggest Charge Rate: 1C (Max 5C)

• Balancer Connector Type: 3PINS JST-XH XT60 XT90S

• SIZE(H*W*L): 112*107*160MM

• Highlight: 18000mAh UAV Lipo Battery,

44.4v UAV Lipo Battery, 12s lipo battery Lightweight



Product Description

18000mAh 44.4v 12S1P High Voltage agriculture 18Ah UAV drone Fixed wing lipo battery with XT90 lithium battery

Product Description





Amass Connector

★ Other connector if you need, please feel free contact me, thanks



XT150+AS150 EC5 XT150 EC3 Size(mm) Capacity Weight 88x34x20 2S 2200mah 50C 114g=4oz=0.25lb 131g=4.62oz=0.28lb 2S 2600mah 30C 115x34x17 2S 5000mah 50C 155x48x16 260g=9.17oz=0.57lb 2S 6000mah 60C Hard 138x46x24 295g=10.4oz=0.65lb 2S 7000mah 55C Hard 138x46x24 312g=11oz=0.68lb 125g=4.4oz=0.27lb 3S 1500mah 65C 70x43x22 3S 1500mah 100C 90x34x22 141g=4.97oz=0.31lb 3S 1800mah 50C 142g=5oz=0.31lb 105x34x20 3S 2200mah 30C 106x34x24 168g=5.92oz=0.37lb 3S 2600mah 35C T 115x34x26 189g=6.66oz=0.41lb 3S 3000mah 60C 225g=7.93oz=0.49lb 135x42x21 3S 5000mah 50C 155x48x24 376g=13.26oz=0.86lb 3S 6000mah 50C 155x44x29 425g=14.99oz=0.93lb 3S 6000mah 50C Hard 138x46x39 425g=14.99oz=0.93lb 4S 1500mah 100C 70x43x29 164g=5.78oz=0.36lb 4S 2200mah 30C 106x34x32 220g=7.76oz=0.48lb 4S 3300mah 60C 135x42x30 318g=11.21oz=0.7lb 4S 4000mah 60C 135x42x33 403g=14.21oz=0.88lb 4S 5000mah 50C 492g=17.35oz=1.08lb 155x48x32 4S 6000mah 50C 155x44x38 558g=19.68oz=1.23lb 6S 1800mah 50C 105x34x40 270g=9.52oz=0.59lb 6S 3300mah 60C 135x42x42 436g=15.37oz=0.96lb 6S 5000mah 50C 155x48x48 725g=25.57oz=1.59lb

155x48x54

809g=28.53oz=1.78lb

6S 6000mah 50C

Specification

item value

1year Warranty

Anode Material Other

Chargeable Yes

Application Toys, Power Tools, BOATS

Battery Size Li-polymer

Brand Name LOHUITE

12S LIPO BATTERY Model Number

Weight 2466g

The charging ratio 44.4V

Size 112*107*160mm

Storage Type 0-45

18000mah Capacity

Cells 12s

44.4V Voltage per pack

Discharge rate 25C-50C

Suggest chargerr Balance charge

Suggest charge rate 1C (Max 5C)

Suggest charger Balance charger

3PINS JST-XH XT60 XT90S Balancer Connector Type

Packing & Delivery















WHY CHOOSE US?

Our Factory



Other Supplier



15000 square meter



small workshop



clean & ordered production line





modern production equipments



handmade workshop

















LOHUITE in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc have 3 series lipo battery:High energy density,Low temperature and high temperature.



Shenzhen Lohuite Technology Co., Ltd.



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen