

### High Voltage Agricultural Drone Battery 22.8v 25000mAh 6S1P With **XT90**

### **Basic Information**

• Brand Name:

• Price:

- Model Number:
- 6S LIPO BATTERY

lohuite

- Minimum Order Quantity:
  - 1
- Packaging Details:
- Supply Ability:
- \$409.90/packs 1-49 packs as export package
- 100000 Pack/Packs per Week



### **Product Specification**

- The Charging Ratio:
- Storage Type: 0-45 25000mah • Capacity: • Cells: 6s • Voltage Per Pack: 22.8V • Discharge Rate: 10C-20C
  - Suggest Charge Rate:

22.2V

• Highlight:

• SIZE:

- 1C (Max 5C) 61\*92\*210MM Agricultural Drone Battery 22.8v,
  - Agricultural Drone Battery 6S1P, 25000mAh uav drone battery



Our Product Introduction

22.8v 25000mAh 6S1P High Voltage agriculture UAV drone Fixed wing lipo battery with XT90

### Product Description





# **Amass Connector**

★ Other connector if you need, please feel free contact

## me,thanks









XT60

XT90-S

T/Deans



XT90







| C5   | XT | 150 |
|------|----|-----|
| - 23 |    | -   |

EC3

| Capacity            | Size(mm)  | Weight              |
|---------------------|-----------|---------------------|
| 2S 2200mah 50C      | 88x34x20  | 114g=4oz=0.25lb     |
| 2S 2600mah 30C      | 115x34x17 | 131g=4.62oz=0.28lb  |
| 2S 5000mah 50C      | 155x48x16 | 260g=9.17oz=0.57lb  |
| 2S 6000mah 60C Hard | 138x46x24 | 295g=10.4oz=0.65lb  |
| 2S 7000mah 55C Hard | 138x46x24 | 312g=11oz=0.68lb    |
| 3S 1500mah 65C      | 70x43x22  | 125g=4.4oz=0.27lb   |
| 3S 1500mah 100C     | 90x34x22  | 141g=4.97oz=0.31lb  |
| 3S 1800mah 50C      | 105x34x20 | 142g=5oz=0.31lb     |
| 3S 2200mah 30C      | 106x34x24 | 168g=5.92oz=0.37lb  |
| 3S 2600mah 35C T    | 115x34x26 | 189g=6.66oz=0.41lb  |
| 3S 3000mah 60C      | 135x42x21 | 225g=7.93oz=0.49lb  |
| 3S 5000mah 50C      | 155x48x24 | 376g=13.26oz=0.86lb |
| 3S 6000mah 50C      | 155x44x29 | 425g=14.99oz=0.93lb |
| 3S 6000mah 50C Hard | 138x46x39 | 425g=14.99oz=0.93lb |
| 4S 1500mah 100C     | 70x43x29  | 164g=5.78oz=0.36lb  |
| 4S 2200mah 30C      | 106x34x32 | 220g=7.76oz=0.48lb  |
| 4S 3300mah 60C      | 135x42x30 | 318g=11.21oz=0.7lb  |
| 4S 4000mah 60C      | 135x42x33 | 403g=14.21oz=0.88lb |
| 4S 5000mah 50C      | 155x48x32 | 492g=17.35oz=1.08lb |
| 4S 6000mah 50C      | 155x44x38 | 558g=19.68oz=1.23lb |
| 6S 1800mah 50C      | 105x34x40 | 270g=9.52oz=0.59lb  |
| 6S 3300mah 60C      | 135x42x42 | 436g=15.37oz=0.96lb |
| 6S 5000mah 50C      | 155x48x48 | 725g=25.57oz=1.59lb |
| 6S 6000mah 50C      | 155x48x54 | 809g=28.53oz=1.78lb |

# Specification

| item                    | value                    |  |
|-------------------------|--------------------------|--|
| Warranty                | 3months-1year            |  |
| Anode Material          | Other                    |  |
| Chargeable              | Yes                      |  |
| Application             | Toys, Power Tools, BOATS |  |
| Battery Size            | Li-polymer               |  |
| Brand Name              | LOHUITE                  |  |
| Model Number            | 6S LIPO BATTERY          |  |
| Weight                  | 2568g                    |  |
| The charging ratio      | 22.8V                    |  |
| Size                    | 61*92*210mm              |  |
| Storage Type            | 0-45                     |  |
| Capacity                | 25000mah                 |  |
| Cells                   | 6s                       |  |
| Voltage per pack        | 22.8V                    |  |
| Discharge rate          | 10C-20C                  |  |
| Suggest chargerr        | Balance charge           |  |
| Suggest charge rate     | 1C ( Max 5C)             |  |
| Suggest charger         | Balance charger          |  |
| Balancer Connector Type | 3PINS JST-XH XT60 XT90   |  |
|                         |                          |  |

## Packing & Delivery



### **Company Profile**



