

lohuite 1500mAh

193g

500times

XT60 Connector Drone Lipo Battery,

4s 1500mah Lipo Battery, Drone Lipo Battery 50C

## XT60 Connector Drone Lipo Battery Pack 4s 1500mah Lipo Battery 14.8V 50C-100c

## **Basic Information**

- Brand Name:
- Model Number:
- Minimum Order Quantity:
- Price: \$7.99/packs 2
- Packaging Details:
- Supply Ability:
- 2 packs \$7.99/packs 2-49 packs as export package
- 100000 Pack/Packs per Week

# 1500 + CELLS - 4 SU - 22 ZW

### **Product Specification**

- Weight:
- The Charging Ratio: 14.8V 50-100c The Discharge Rate: • Storage Type: 0-45 · Capacity: 1500mah Cells: 43s 14.8V • Voltage Per Pack: 50C-100C • Discharge Rate: • Product Name: 1500mah Lipo Battery
- Cycle Life:
- Highlight:





#### 1500mAh 4S High Voltage 14.8V 50C-100c Lipo Battery Pack w/XT60

#### **Product Description**

LiHV stands for "High Voltage Lithium Polymer". These batteries have been around for years and can be safely charged to 4.35V, higher than the typical voltage of Lipos. The advantages of LiHV batteries are higher power and longer running times. LiHV batteries can be charged to 4.35V per cell, higher than normal LiPo batteries which sit at 4.20V. For example, a 4S LiHV pack charged at 4.35V would give you 17.4V. Whereas a Lipo battery on the same charge would only get 16.8V. LiHV batteries also have lower internal resistance and are less prone to "puffing".

For those that love graphs, it means a straighter, longer curve. For pilots, it spells stronger throttle punches and unreal straight-up performance.

#### Features:

- Higher charge voltage than standard lipos
- Super high 65C discharge rate
- Perfect for high-performance models
- Higher capacity than comparable-size packs



· Heavy-duty silicone wire discharge leads

#### Features:

- Excellent discharge rate performance
- Low internal temperature for high current discharge
- Excellent cycle performance output

#### Specs:

Capacity: 1500mAh Voltage: 4S1P / 4 Cell / 14.8V Discharge: 50C Constant Weight: 193g (including wire, plug & shrink wrap) Dimensions: 77x35x40.5mm Balance Plug: JST-XH Discharge plug: XT60

Packaging & Shipping

Regular Safety Packing Or As Customer's Requirements.

We will ship the battery by express such as DHL, TNT, UPS, FEDEX etc We can also ship by sea or air transportation for bulk large order. Delivery time for production will depend on your quantity. Usually it will take 5-7 working days, the sample will be shipped out within 3 working days.

**Our Services** 

- 1. We have our own factory with professional lithium ion battery packfor over 15 years .
- 2. We have a strong R&D team.
- 3. Offering OEM service for your order.
- 4. Reply within 1hours.
- 5. Offering competitive price, good after-sales serice.

#### **Company Information**

LOHUITE in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.have 3 series lipo battery:High energy density,Low temperature and high temperature.

Shenzhen Lohuite Technology Co., Ltd.

🕓 15007080727 🔄 shenzhen@longyun.xyz 😥 lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen