

Customized 22.2V 6s Li Ion Drone Battery 4500mah Lipo Battery 100C

Our Product Introduction

Basic Information

- Brand Name: lohuite
- Model Number: 6S LIPO BATTERY
- Minimum Order Quantity: 1
- Price: \$32.90/packs 1-49 packs
- Packaging Details: as export package
- Supply Ability: 100000 Pack/Packs per Week



Product Specification

- The Discharge Rate: 22.2-22.8V
- Capacity: 4500mah
- Cells: 6s
- Voltage Per Pack: 22.2V
- Discharge Rate: 100C-120C
- Size: 55*43*138 Mm
- Weight: 620g
- Highlight: 4500mah Lipo Battery 100C,
22.2V 6s Li Ion Drone Battery,
Customized 6s Li Ion Drone Battery

for more products please visit us on lohuite.com

Product Description

RC Drone 22.2V 6s Lipo batteries 4500mAh 100C for Car boat FPV fixed wing Battery

Product Description



Application



Drones



RC Cars



RC Boat



RC Helicopters



FPV Racing



RC Airplane

Amass Connector

★ Other connector if you need, please feel free contact me, thanks



XT90



XT60



XT90-S



T/Deans



EC5



XT150



XT150+AS150




EC3

| Capacity | Size(mm) | Weight |
|---------------------|-----------|---------------------|
| 2S 2200mah 50C | 88x34x20 | 114g=4oz=0.25lb |
| 2S 2600mah 30C | 115x34x17 | 131g=4.62oz=0.28lb |
| 2S 5000mah 50C | 155x48x16 | 260g=9.17oz=0.57lb |
| 2S 6000mah 60C Hard | 138x46x24 | 295g=10.4oz=0.65lb |
| 2S 7000mah 55C Hard | 138x46x24 | 312g=11oz=0.68lb |
| 3S 1500mah 65C | 70x43x22 | 125g=4.4oz=0.27lb |
| 3S 1500mah 100C | 90x34x22 | 141g=4.97oz=0.31lb |
| 3S 1800mah 50C | 105x34x20 | 142g=5oz=0.31lb |
| 3S 2200mah 30C | 106x34x24 | 168g=5.92oz=0.37lb |
| 3S 2600mah 35C T | 115x34x26 | 189g=6.66oz=0.41lb |
| 3S 3000mah 60C | 135x42x21 | 225g=7.93oz=0.49lb |
| 3S 5000mah 50C | 155x48x24 | 376g=13.26oz=0.86lb |
| 3S 6000mah 50C | 155x44x29 | 425g=14.99oz=0.93lb |
| 3S 6000mah 50C Hard | 138x46x39 | 425g=14.99oz=0.93lb |
| 4S 1500mah 100C | 70x43x29 | 164g=5.78oz=0.36lb |
| 4S 2200mah 30C | 106x34x32 | 220g=7.76oz=0.48lb |
| 4S 3300mah 60C | 135x42x30 | 318g=11.21oz=0.7lb |
| 4S 4000mah 60C | 135x42x33 | 403g=14.21oz=0.88lb |
| 4S 5000mah 50C | 155x48x32 | 492g=17.35oz=1.08lb |
| 4S 6000mah 50C | 155x44x38 | 558g=19.68oz=1.23lb |
| 6S 1800mah 50C | 105x34x40 | 270g=9.52oz=0.59lb |
| 6S 3300mah 60C | 135x42x42 | 436g=15.37oz=0.96lb |
| 6S 5000mah 50C | 155x48x48 | 725g=25.57oz=1.59lb |
| 6S 6000mah 50C | 155x48x54 | 809g=28.53oz=1.78lb |

Specification

| | |
|-------------------------|--------------------------|
| item | value |
| Warranty | 3months-1year |
| Anode Material | Other |
| Chargeable | Yes |
| Application | Toys, Power Tools, BOATS |
| Battery Size | Li-polymer |
| Brand Name | LOHUIITE |
| Model Number | 2S LIPO BATTERY |
| Weight | 259g |
| The charging ratio | 7.4V |
| The discharge rate | 7.4-8.4V |
| Storage Type | 0-45 |
| Capacity | 6000mah |
| Cells | 2s |
| Voltage per pack | 7.4V |
| Discharge rate | 60C-120C |
| Suggest chargerr | Balance charge |
| Suggest charge rate | 1C (Max 5C) |
| Suggest charger | Balance charger |
| Balancer Connector Type | 3PINS JST-XH |

Packing & Delivery



Company Profile

WHY CHOOSE US ?

Our Factory



Other Supplier



15000 square meter



small workshop



clean & ordered
production line



messy & dirty
production line



modern production
equipments



handmade workshop




quarterly
security training



no security assurance



various certificate



no certification



Professional testing equipmen



no Qc



clean & thermostatic warehouse
(moisture & mildew-proof)



disordered warehouse

LOHUIITE in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.have 3 series lipo battery:High energy density,Low temperature and high temperature.



Shenzhen Lohuite Technology Co., Ltd.



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District,
Shenzhen