

Compact 11.1V 2S 3s 4s 6s 3300mah Lipo Battery 35C Hardcase Lipo Battery

Basic Information

Brand Name: lohuite

Model Number: 3S LIPO BATTERY

Minimum Order Quantity:

• Price: \$13.80/packs 1-49 packs

Packaging Details: as export package

• Supply Ability: 100000 Pack/Packs per Week



Product Specification

• Weight: 259g

The Discharge Rate: 11.1-11.8VStorage Type: 0-45

• Capacity: 3300mah

• Cells: 3s

• Voltage Per Pack: 11.1V

• Discharge Rate: 35C-120C

• Suggest Charge Rate: 1C (Max 5C)

• Highlight: Compact 6s 3300mah Lipo Battery,

35C hardcase lipo battery,

11.1V Hardcase Lipo Battery

Product Description

11.1V 2S 3s 4s 6s Lipo Lithium ion Polymer 3300mAh 35C Hard Case for RC Car boat FPV Drone traverser Battery

Product Description



Application



Drones



RC Cars



RC Boat



RC Helicopters



FPV Racing



RC Airplane

Amass Connector

★ Other connector if you need,please feel free contact me,thanks



Capacity	Size(mm)	Weight
2S 2200mah 50C	88x34x20	114g=4oz=0.25lb
2S 2600mah 30C	115x34x17	131g=4.62oz=0.28lb
2S 5000mah 50C	155x48x16	260g=9.17oz=0.57lb
2S 6000mah 60C Hard	138x46x24	295g=10.4oz=0.65lb
2S 7000mah 55C Hard	138x46x24	312g=11oz=0.68lb
3S 1500mah 65C	70x43x22	125g=4.4oz=0.27lb
3S 1500mah 100C	90x34x22	141g=4.97oz=0.31lb
3S 1800mah 50C	105x34x20	142g=5oz=0.31lb
3S 2200mah 30C	106x34x24	168g=5.92oz=0.37lb
3S 2600mah 35C T	115x34x26	189g=6.66oz=0.41lb
3S 3000mah 60C	135x42x21	225g=7.93oz=0.49lb
3S 5000mah 50C	155x48x24	376g=13.26oz=0.86lb
3S 6000mah 50C	155x44x29	425g=14.99oz=0.93lb
3S 6000mah 50C Hard	138x46x39	425g=14.99oz=0.93lb
4S 1500mah 100C	70x43x29	164g=5.78oz=0.36lb
4S 2200mah 30C	106x34x32	220g=7.76oz=0.48lb
4S 3300mah 60C	135x42x30	318g=11.21oz=0.7lb
4S 4000mah 60C	135x42x33	403g=14.21oz=0.88lb
4S 5000mah 50C	155x48x32	492g=17.35oz=1.08lb
4S 6000mah 50C	155x44x38	558g=19.68oz=1.23lb
6S 1800mah 50C	105x34x40	270g=9.52oz=0.59lb
6S 3300mah 60C	135x42x42	436g=15.37oz=0.96lb
6S 5000mah 50C	155x48x48	725g=25.57oz=1.59lb
6S 6000mah 50C	155x48x54	809g=28.53oz=1.78lb

Specification

item value

Warranty 3months-1year

Anode Material Other Chargeable Yes

Application Toys, Power Tools, BOATS

Battery Size Li-polymer
Brand Name Lohuite

Model Number 2S LIPO BATTERY

259g Weight The charging ratio 7.4V The discharge rate 7.4-8.4V Storage Type 0-45 Capacity 6000mah Cells 2s Voltage per pack 7.4V 60C-120C Discharge rate

Suggest charger Balance charge
Suggest charge rate 1C (Max 5C)

Suggest charger Balance charger
Balancer Connector Type 3PINS JST-XH

Packing & Delivery



Company Profile

WHY CHOOSE US?





Other Supplier



15000 square meter





clean & ordered production line



messy & dirty production line



modern production equipments



handmade workshop



quarterly security training















(moisture &mildew-proof)



Lohuite in manufacturing lithium polymer batteries since 2001 for digital devices, hobbies&toys, gps, medical, military, electric vehicles...etc. have 3 series lipo battery: High energy density, Low temperature and high temperature.

FAQ

1. who are we?

We are based in Guangdong, China, start from 2001, sell to North America(27.00%), South America(25.00%), South Asia(10.00%), Southern Europe(10.00%), Central America(10.00%), Eastern Europe(10.00%), Domestic Market(1.00%), Oceania(1.00%), Africa(1.00%), Northern Europe(1.00%), Southeast Asia(1.00%), Western Europe(1.00%), Eastern Asia(1.00%), Mid East(1.00%). There are total about 301-500 people in our office.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.what can you buy from us?

lithium polymer battery,lipo battery,nimh battery,battery,lithium ion battery

4. why should you buy from us not from other suppliers?

Lohuite specialized in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc. have 3 series lipo battery: High energy density, Low temperature and high temperature.

5. what services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FAS,CIP,FCA,CPT,DEQ,DDP,DDU,Express Delivery,DAF,DES

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,MoneyGram,Credit Card,PayPal,Western Union,Cash,Escrow;

 $Language\ Spoken: English, Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Chinese$



Shenzhen Lohuite Technology Co., Ltd.



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen