

## Multipurpose 1100mAh Lipo Battery 7.4V 11.1V 14.8V 22.2V 2S 3S 4S 6S Rc Battery

Our Product Introduction

### Basic Information

- Brand Name: lohuite
- Model Number: 2S LIPO BATTERY
- Minimum Order Quantity: 1
- Price: \$6.90/packs 1-49 packs
- Packaging Details: as export package
- Supply Ability: 100000 Pack/Packs per Week



### Product Specification

- Weight: 75g
- The Discharge Rate: 7.4v-7.8V
- Storage Type: 0-45
- Capacity: 1100mah
- Cells: 2s
- Voltage Per Pack: 7.4V
- Discharge Rate: 140c
- SIZE(H\*W\*L): 15\*35\*75mm
- Highlight: Multipurpose 1100mAh Lipo Battery,  
Multipurpose 6S Rc Battery,  
1100mAh Lipo Battery 7.4V



for more products please visit us on lohuite.com

## Product Description

RC Car Lipo Battery 1100mAh 7.4V 11.1V 14.8V 22.2V 2S 3S 4S 6S Lipo batteries 80C

### Product Description



Nominal Capacity	1100mAh
Nominal Voltage	7.4V
Cells Numbers	2S1P (2 cells)
Net Weight	75g (+/-2g)
Dimension	75(L)*35(W)*15(H)mm
Discharge Connector	XT60
Charge Connector	XH-JST 3 pin
Charge Method	Constant current charging (CC)
Continuous Discharge Current	140C
Peak Discharge Rate	280C ( 3 sec.)
Standard Charging Current	0.2C
Rapid Charging Current	1C to 5C
Charge Cut Off Voltage	4.2V per cell



**Battery Type :** LiPo

**Capacity :** 1100mAh

**Voltage :** 11.1V

**Net Weight :** 109g

**Size (L\*W\*H) :** 79\*35\*21mm

**Assemble :** 3S1P

**Discharge Rate :** 140C

**Charge Rate :** 1C to 5C

**Charge Connector :** XH-JST 4P

**Discharge Connector :** XT60



**Battery Type :** LiPo

**Capacity :** 1100mAh

**Voltage :** 22.2V

**Net Weight :** 200g

**Size (L\*W\*H) :** 81\*34\*40mm

**Assemble :** 6S1P

**Discharge Rate :** 140C

**Charge Rate :** 1C to 5C

**Charge Connector :** XH-JST 7P

**Discharge Connector :** XT60

## Application



**Drones**



**RC Cars**



**RC Boat**



**RC Helicopters**



**FPV Racing**




**RC Airplane**

## Specification

item	value
Warranty	3months-1year

Anode Material	Other
Chargeable	Yes
Application	Toys, Power Tools, BOATS FPV
Battery Size	Li-polymer
Brand Name	Lohuite
Model Number	2S LIPO BATTERY
Weight	75g
The charging ratio	7.4V
The discharge rate	7.4-7.8V
Storage Type	0-45
Capacity	1100mah
Cells	2s
Voltage per pack	7.4V
Discharge rate	140C
Suggest chargerr	Balance charge
Suggest charge rate	1C ( Max 5C)
Suggest charger	Balance charger
Balancer Connector Type	3PINS JST-XH xt60

## Packing & Delivery



## WHY CHOOSE US ?

Our Factory



Other Supplier



15000 square meter



small workshop



clean & ordered  
production line



messy & dirty  
production line



modern production  
equipments



handmade workshop





Lohuite in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.have 3 series lipo battery:High energy density.Low temperature and high temperature.



**Shenzhen Lohuite Technology Co., Ltd.**



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen