

6000mAh 7.6v 2s1p Lipo Battery Remote Control Boat Battery High Voltage

Our Product Introduction

Basic Information

- Brand Name: lohuite
- Model Number: 2S LIPO BATTERY
- Minimum Order Quantity: 1
- Price: \$29.90/packs 1-49 packs
- Packaging Details: as export package
- Supply Ability: 100000 Pack/Packs per Week



Product Specification

- Weight: 237g
- Storage Type: 0-45
- Capacity: 6000mah
- Cells: 2s1P
- Voltage Per Pack: 7.6V
- Discharge Rate: 80C
- Suggest Charge Rate: 1C (Max 5C)
- SIZE(H*W*L): 19*44*136MM
- Highlight: **2s1p Lipo Battery High Voltage, 6000mAh Remote Control Boat Battery, 7.6v Remote Control Boat Battery**

for more products please visit us on lohuite.com

Product Description

6000mAh 7.6v 2S1P battery High Voltage For FPV Drone Car boat fixed wing Lipo Lithium batteries

Product Description





Battery Type : LiPo

Capacity : 6000mAh

Voltage : 7.6V

Net Weight : 237g

Size (L*W*H) : 136*44*19mm

Assemble : 2S1P

Discharge Rate : 80C

Charge Rate : 1C to 5C

Charge Connector : XH-JST 3P

Discharge Connector : XT60

Amass Connector

★ Other connector if you need, please feel free contact me, thanks



XT90



XT60



XT90-S



T/Deans



EC5



XT150



XT150+AS150



EC3

Capacity	Size(mm)	Weight
2S 2200mah 50C	88x34x20	114g=4oz=0.25lb
2S 2600mah 30C	115x34x17	131g=4.62oz=0.28lb
2S 5000mah 50C	155x48x16	260g=9.17oz=0.57lb
2S 6000mah 60C Hard	138x46x24	295g=10.4oz=0.65lb
2S 7000mah 55C Hard	138x46x24	312g=11oz=0.68lb
3S 1500mah 65C	70x43x22	125g=4.4oz=0.27lb
3S 1500mah 100C	90x34x22	141g=4.97oz=0.31lb
3S 1800mah 50C	105x34x20	142g=5oz=0.31lb
3S 2200mah 30C	106x34x24	168g=5.92oz=0.37lb
3S 2600mah 35C T	115x34x26	189g=6.66oz=0.41lb
3S 3000mah 60C	135x42x21	225g=7.93oz=0.49lb
3S 5000mah 50C	155x48x24	376g=13.26oz=0.86lb
3S 6000mah 50C	155x44x29	425g=14.99oz=0.93lb
3S 6000mah 50C Hard	138x46x39	425g=14.99oz=0.93lb
4S 1500mah 100C	70x43x29	164g=5.78oz=0.36lb
4S 2200mah 30C	106x34x32	220g=7.76oz=0.48lb
4S 3300mah 60C	135x42x30	318g=11.21oz=0.7lb
4S 4000mah 60C	135x42x33	403g=14.21oz=0.88lb
4S 5000mah 50C	155x48x32	492g=17.35oz=1.08lb
4S 6000mah 50C	155x44x38	558g=19.68oz=1.23lb
6S 1800mah 50C	105x34x40	270g=9.52oz=0.59lb
6S 3300mah 60C	135x42x42	436g=15.37oz=0.96lb
6S 5000mah 50C	155x48x48	725g=25.57oz=1.59lb
6S 6000mah 50C	155x48x54	809g=28.53oz=1.78lb

Specification

item	value
Warranty	1year
Anode Material	Other
Chargeable	Yes
Application	Toys, Power Tools, BOATS
Battery Size	Li-polymer
Brand Name	Lohuite
Model Number	2S LIPO BATTERY
Weight	237g
The charging ratio	7.6V
Size(H*W*L)	19*44*136mm
Storage Type	0-45
Capacity	6000mah
Cells	2s
Voltage per pack	7.6V
Discharge rate	80C
Suggest chargerr	Balance charge
Suggest charge rate	1C (Max 5C)


Suggest charger

Balance charger

Balancer Connector Type

3PINS JST-XH XT60 XT90

Packing & Delivery



Company Profile

WHY CHOOSE US ?

Our Factory



Other Supplier



15000 square meter



small workshop



clean & ordered
production line



messy & dirty
production line



modern production
equipments



handmade workshop




quarterly
security training



no security assurance



various certificate



no certification



Professional testing equipmen



no Qc



clean & thermostatic warehouse
(moisture & mildew-proof)



disordered warehouse

Lohuite in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc. have 3 series lipo battery:High energy density,Low temperature and high temperature.



Shenzhen Lohuite Technology Co., Ltd.



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District,
Shenzhen