

# 22.2v 3s 4s 6s 550mah 100C RC Boat Battery

### **Basic Information**

Brand Name: Iohuite

Model Number: 6S LIPO BATTERY

Minimum Order Quantity:

Price: \$5.90/packs 1-49 packsPackaging Details: as export package

• Supply Ability: 100000 Pack/Packs per Week



## **Product Specification**

Weight: 323g
The Charging Ratio: 22.2V
The Discharge Rate: 7.4-8.4V
Storage Type: 0-45
Capacity: 550mah
Cells: 6s
Voltage Per Pack: 22.2V

• Discharge Rate: 100C-120C

• Highlight: 100C RC Boat battery, 3s RC Boat battery

# Amass Connector ★ Other connector if you need, please feel free contact me, thanks XT90 XT60 XT90-S T/Deans

XT150

XT150+AS150

# **Product Description**



# **Application**



**Drones** 



**RC Cars** 



**RC Boat** 



**RC** Helicopters



**FPV Racing** 



**RC** Airplane

# **Amass Connector**

★ Other connector if you need, please feel free contact me, thanks



XT150+AS150 EC5 XT150 EC3 Size(mm) Capacity Weight 88x34x20 2S 2200mah 50C 114g=4oz=0.25lb 131g=4.62oz=0.28lb 2S 2600mah 30C 115x34x17 2S 5000mah 50C 155x48x16 260g=9.17oz=0.57lb 2S 6000mah 60C Hard 138x46x24 295g=10.4oz=0.65lb 2S 7000mah 55C Hard 138x46x24 312g=11oz=0.68lb 125g=4.4oz=0.27lb 3S 1500mah 65C 70x43x22 3S 1500mah 100C 90x34x22 141g=4.97oz=0.31lb 3S 1800mah 50C 142g=5oz=0.31lb 105x34x20 3S 2200mah 30C 106x34x24 168g=5.92oz=0.37lb 3S 2600mah 35C T 115x34x26 189g=6.66oz=0.41lb 3S 3000mah 60C 225g=7.93oz=0.49lb 135x42x21 3S 5000mah 50C 155x48x24 376g=13.26oz=0.86lb 3S 6000mah 50C 155x44x29 425g=14.99oz=0.93lb 3S 6000mah 50C Hard 138x46x39 425g=14.99oz=0.93lb 4S 1500mah 100C 70x43x29 164g=5.78oz=0.36lb 4S 2200mah 30C 106x34x32 220g=7.76oz=0.48lb 4S 3300mah 60C 135x42x30 318g=11.21oz=0.7lb 4S 4000mah 60C 135x42x33 403g=14.21oz=0.88lb 4S 5000mah 50C 492g=17.35oz=1.08lb 155x48x32 4S 6000mah 50C 155x44x38 558g=19.68oz=1.23lb 6S 1800mah 50C 105x34x40 270g=9.52oz=0.59lb 6S 3300mah 60C 135x42x42 436g=15.37oz=0.96lb 6S 5000mah 50C 155x48x48 725g=25.57oz=1.59lb

155x48x54

809g=28.53oz=1.78lb

6S 6000mah 50C

# Specification

item value

Warranty 3months-1year

Anode Material Other
Chargeable Yes

Application Toys, Power Tools, BOATS

Battery Size Li-polymer
Brand Name LOHUITE

Model Number 2S LIPO BATTERY

 Weight
 259g

 The charging ratio
 7.4V

 The discharge rate
 7.4-8.4V

 Storage Type
 0-45

 Capacity
 6000mah

 Cells
 2s

 Voltage per pack
 7.4V

Discharge rate 60C-120C
Suggest chargerr Balance charge
Suggest charge rate 1C ( Max 5C)

Suggest charger Balance Charger
Balancer Connector Type 3PINS JST-XH

# Company Profile

# WHY CHOOSE US?





Other Supplier



15000 square meter





clean & ordered production line



messy & dirty production line



modern production equipments



handmade workshop

















LOHUITE in manufacturing lithium polymer batteries since 2001 for digital devices, hobbies&toys, gps, medical, military, have 3 series lipo battery: High energy density, Low temperature and high temperature.

## Shenzhen Lohuite Technology Co., Ltd.



15007080727





lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District,