

### 6S RC Airplane Battery 22.2V 6600mAh 12C With W/XT-90 Light Weight

#### **Basic Information**

- Brand Name:
- lohuite Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Supply Ability:
- 6S LIPO BATTERY
- 2 packs
- \$49.99/packs 2-499 packs
- as export package
  - 100000 Pack/Packs per Week



#### **Product Specification**

<ul> <li>Hig</li> </ul>	ghlight:	6S RC Airplane battery,
• Ba	lancer Connector Type:	3PINS JST-XH XT60 XT90
• Su	ggest Charge Rate:	1C ( Max 5C)
• Dis	scharge Rate:	12-25C
• Vo	Itage Per Pack:	22.2V
• Ce	lls:	6s1P
• Ca	pacity:	6600mah
• Sto	orage Type:	0-45
• Th	e Charging Ratio:	1-5C
• We	eight:	860g

6600mAh RC Airplane battery, 6600mAh model airplane batteries 6S Lipo Battery 22.2V 6600mAh 12C with w/XT-90 for RC Airplane battery

#### Product Description

Specs: Minimum Capacity: 6600mAh Cell Count: 6 / 22.2V Constant Discharge: 12C Peak Discharge (10sec): 24C Pack Weight: 860g Pack Size: 144 x 57 x 51mm Charge Plug: JST-XH Discharge Plug: XT90





# **Amass Connector**

★ Other connector if you need, please feel free contact

## me,thanks









XT60

XT90-S

T/Deans



XT90







C5	XT	150
- 23		-

EC3

Capacity	Size(mm)	Weight
2S 2200mah 50C	88x34x20	114g=4oz=0.25lb
2S 2600mah 30C	115x34x17	131g=4.62oz=0.28lb
2S 5000mah 50C	155x48x16	260g=9.17oz=0.57lb
2S 6000mah 60C Hard	138x46x24	295g=10.4oz=0.65lb
2S 7000mah 55C Hard	138x46x24	312g=11oz=0.68lb
3S 1500mah 65C	70x43x22	125g=4.4oz=0.27lb
3S 1500mah 100C	90x34x22	141g=4.97oz=0.31lb
3S 1800mah 50C	105x34x20	142g=5oz=0.31lb
3S 2200mah 30C	106x34x24	168g=5.92oz=0.37lb
3S 2600mah 35C T	115x34x26	189g=6.66oz=0.41lb
3S 3000mah 60C	135x42x21	225g=7.93oz=0.49lb
3S 5000mah 50C	155x48x24	376g=13.26oz=0.86lb
3S 6000mah 50C	155x44x29	425g=14.99oz=0.93lb
3S 6000mah 50C Hard	138x46x39	425g=14.99oz=0.93lb
4S 1500mah 100C	70x43x29	164g=5.78oz=0.36lb
4S 2200mah 30C	106x34x32	220g=7.76oz=0.48lb
4S 3300mah 60C	135x42x30	318g=11.21oz=0.7lb
4S 4000mah 60C	135x42x33	403g=14.21oz=0.88lb
4S 5000mah 50C	155x48x32	492g=17.35oz=1.08lb
4S 6000mah 50C	155x44x38	558g=19.68oz=1.23lb
6S 1800mah 50C	105x34x40	270g=9.52oz=0.59lb
6S 3300mah 60C	135x42x42	436g=15.37oz=0.96lb
6S 5000mah 50C	155x48x48	725g=25.57oz=1.59lb
6S 6000mah 50C	155x48x54	809g=28.53oz=1.78lb

#### **Company Profile**



LOHUITE in manufacturing lithium polymer batteries since 2001 for digital devices, hobbies&toys, gps, medical, military, have 3 series lipo battery: High energy density, Low temperature and high temperature.

Shenzhen Lohuite Technology Co., Ltd.

**(** 15007080727

shenzhen@longyun.xyz

lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen