

11.1V 25C 5200mAh 3S FPV Lipo Battery With W/XT-90 For UAV RC Boat Car

Basic Information

Brand Name: IohuiteCertification: UL UN38.8

Model Number: 3S LIPO BATTERY

• Minimum Order Quantity: 2 packs

• Price: \$17.99/packs 2-499 packs

• Packaging Details: as export package

• Supply Ability: 100000 Pack/Packs per Week



Product Specification

Weight: 345g
The Charging Ratio: 1-5C
Storage Type: 0-45
Capacity: 5200mah
Cells: 3s1P
Voltage Per Pack: 11.1V
Discharge Rate: 25C

• Suggest Charge Rate: 1C (Max 5C)

• Highlight: 5200mAh 3S Lipo Battery,

11.1V FPV Lipo Battery, 25C rc boat battery

2S 2200mah 50C	88x34x20	114g=4oz=0.25lb
2S 2600mah 30C	115x34x17	131g=4.62oz=0.28lb
2S 5000mah 50C	155x48x16	260g=9.17oz=0.57lb
2S 6000mah 60C Hard	138x46x24	295g=10.4oz=0.65lb
2S 7000mah 55C Hard	138x46x24	312g=11oz=0.68lb
3S 1500mah 65C	70x43x22	125g=4.4oz=0.27lb
3S 1500mah 100C	90x34x22	141g=4.97oz=0.31lb
3S 1800mah 50C	105x34x20	142g=5oz=0.31lb
3S 2200mah 30C	106x34x24	168g=5.92oz=0.37lb
3S 2600mah 35C T	115x34x26	189g=6.66oz=0.41lb
3S 3000mah 60C	135x42x21	225g=7.93oz=0.49lb
3S 5000mah 50C	155x48x24	376g=13.26oz=0.86lb
3S 6000mah 50C	155x44x29	425g=14.99oz=0.93lb
3S 6000mah 50C Hard	138x46x39	425g=14.99oz=0.93lb
4S 1500mah 100C	70x43x29	164g=5.78oz=0.36lb
4S 2200mah 30C	106x34x32	220g=7.76oz=0.48lb
4S 3300mah 60C	135x42x30	318g=11.21oz=0.7lb
4S 4000mah 60C	135x42x33	403g=14.21oz=0.88lb
4S 5000mah 50C	155x48x32	492g=17.35oz=1.08lb
4S 6000mah 50C	155x44x38	558g=19.68oz=1.23lb
6S 1800mah 50C	105x34x40	270g=9.52oz=0.59lb
6S 3300mah 60C	135x42x42	436g=15.37oz=0.96lb
6S 5000mah 50C	155x48x48	725g=25.57oz=1.59lb
6S 6000mah 50C	155x48x54	809g=28.53oz=1.78lb

Product Description

11.1V 25C 5200mAh 3S Lipo Battery with w/XT-90 for FPV Drone UAV RC Boat Car

Product Description

Specs: Minimum Capacity: 5200mAh Configuration: 3S1P / 11.1V / 3Cell Constant Discharge: 12C Peak Discharge (10sec): 24C Pack Weight: 345g Pack Size: $143 \times 51 \times 23mm$ Charge Plug: JST-XH Discharge Plug: XT60





Amass Connector

★ Other connector if you need,please feel free contact me,thanks





FAQ

1. who are we?

We are based in Guangdong, China, start from 2001,sell to North America(27.00%),South America(25.00%),South Asia(10.00%),Southern Europe(10.00%),Central America(10.00%),Eastern Europe(10.00%),Domestic Market(1.00%),Oceania(1.00%),Africa(1.00%),Northern Europe(1.00%),Southeast Asia(1.00%),Western Europe(1.00%),Eastern Asia(1.00%),Mid East(1.00%). There are total about 301-500 people in our office.

2. how can we guarantee quality?

Always a pre-production sample before mass production;

Always final Inspection before shipment;

3.what can you buy from us?

 $lithium\ polymer\ battery, lipo\ battery, nimh\ battery, battery, lithium\ ion\ battery$

4. why should you buy from us not from other suppliers?

LOHUITE specialized in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.have 3 series lipo battery:High energy density,Low temperature and high temperature.

5. what services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FAS,CIP,FCA,CPT,DEQ,DDP,DDU,Express Delivery,DAF,DES

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,MoneyGram,Credit Card,PayPal,Western Union,Cash,Escrow;

 $Language\ Spoken: English, Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian Chinese, Chinese$



Shenzhen Lohuite Technology Co., Ltd.



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen