

7200mAh 22.2V 6s RC Airplane Battery

Our Product Introduction

Basic Information

- Brand Name: lohuite
- Model Number: 6S LIPO BATTERY
- Minimum Order Quantity: 1
- Price: \$62.90/packs 1-49 packs
- Packaging Details: as export package
- Supply Ability: 100000 Pack/Packs per Week




Product Specification

- Weight: 830g
- The Discharge Rate: 22.2v-22.8V
- Storage Type: 0-45
- Capacity: 5500mah
- Cells: 6s
- Voltage Per Pack: 22.2V
- Discharge Rate: 60C-120C
- Suggest Charge Rate: 1C (Max 5C)
- Balancer Connector Type: 3PINS JST-XH XT60
- SIZE(H*W*L): 64*43*140mm
- Highlight: **7200mAh RC Airplane battery, 6s model airplane batteries**

for more products please visit us on lohuite.com

Product Description

Product Description





Brand : CODDAR

Model NO : CD6S720060

Battery Type : LiPo

Capacity : 7200mAh

Voltage : 22.2V

Net Weight : 830g

Size (L*W*H) : 140*43*64mm

Assemble : 6S

Discharge Rate : 60C

Charge Rate : 1C to 5C

Charge Connector : XH-JST 7P

Discharge Connector : XT90

Amass Connector

★ Other connector if you need, please feel free contact me, thanks



XT90



XT60



XT90-S



T/Deans



EC5



XT150



XT150+AS150



EC3

| Capacity | Size(mm) | Weight |
|---------------------|-----------|---------------------|
| 2S 2200mah 50C | 88x34x20 | 114g=4oz=0.25lb |
| 2S 2600mah 30C | 115x34x17 | 131g=4.62oz=0.28lb |
| 2S 5000mah 50C | 155x48x16 | 260g=9.17oz=0.57lb |
| 2S 6000mah 60C Hard | 138x46x24 | 295g=10.4oz=0.65lb |
| 2S 7000mah 55C Hard | 138x46x24 | 312g=11oz=0.68lb |
| 3S 1500mah 65C | 70x43x22 | 125g=4.4oz=0.27lb |
| 3S 1500mah 100C | 90x34x22 | 141g=4.97oz=0.31lb |
| 3S 1800mah 50C | 105x34x20 | 142g=5oz=0.31lb |
| 3S 2200mah 30C | 106x34x24 | 168g=5.92oz=0.37lb |
| 3S 2600mah 35C T | 115x34x26 | 189g=6.66oz=0.41lb |
| 3S 3000mah 60C | 135x42x21 | 225g=7.93oz=0.49lb |
| 3S 5000mah 50C | 155x48x24 | 376g=13.26oz=0.86lb |
| 3S 6000mah 50C | 155x44x29 | 425g=14.99oz=0.93lb |
| 3S 6000mah 50C Hard | 138x46x39 | 425g=14.99oz=0.93lb |
| 4S 1500mah 100C | 70x43x29 | 164g=5.78oz=0.36lb |
| 4S 2200mah 30C | 106x34x32 | 220g=7.76oz=0.48lb |
| 4S 3300mah 60C | 135x42x30 | 318g=11.21oz=0.7lb |
| 4S 4000mah 60C | 135x42x33 | 403g=14.21oz=0.88lb |
| 4S 5000mah 50C | 155x48x32 | 492g=17.35oz=1.08lb |
| 4S 6000mah 50C | 155x44x38 | 558g=19.68oz=1.23lb |
| 6S 1800mah 50C | 105x34x40 | 270g=9.52oz=0.59lb |
| 6S 3300mah 60C | 135x42x42 | 436g=15.37oz=0.96lb |
| 6S 5000mah 50C | 155x48x48 | 725g=25.57oz=1.59lb |
| 6S 6000mah 50C | 155x48x54 | 809g=28.53oz=1.78lb |

Specification

| item | value |
|---------------------|------------------------------|
| Warranty | 3months-1year |
| Anode Material | Other |
| Chargeable | Yes |
| Application | Toys, Power Tools, BOATS FPV |
| Battery Size | Li-polymer |
| Brand Name | LY |
| Model Number | 6S LIPO BATTERY |
| Weight | 830g |
| The charging ratio | 22.2V |
| The discharge rate | 22.2-22.8V |
| Storage Type | 0-45 |
| Capacity | 7200mah |
| Cells | 6s |
| Voltage per pack | 22.2V |
| Discharge rate | 60C-120C |
| Suggest chargerr | Balance charge |
| Suggest charge rate | 1C (Max 5C) |


Suggest charger

Balance charger

Balancer Connector Type

3PINS JST-XH xt60 XT90

Packing & Delivery



Company Profile

WHY CHOOSE US ?

Our Factory



Other Supplier



15000 square meter



small workshop



clean & ordered
production line



messy & dirty
production line



modern production
equipments



handmade workshop




quarterly
security training



no security assurance



various certificate



no certification



Professional testing equipmen



no Qc



clean & thermostatic warehouse
(moisture & mildew-proof)



disordered warehouse

Lohuite in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military, have 3 series lipo battery:High energy density,Low temperature and high temperature.



Shenzhen Lohuite Technology Co., Ltd.



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District,
Shenzhen