

14.8V 4s1P 7200mah Lipo Battery 60C Remote Control Airplane Batteries

Our Product Introduction

Basic Information

- Brand Name: lohuite
- Model Number: 4S LIPO BATTERY
- Minimum Order Quantity: 1
- Price: \$40.90/packs 1-49 packs
- Packaging Details: as export package
- Supply Ability: 100000 Pack/Packs per Week



Product Specification

- Battery Size: Li-polymer
- Weight: 570g
- The Discharge Rate: 14.8v-15.3V
- Storage Type: 0-45
- Capacity: 7200mah
- Cells: 4s
- Voltage Per Pack: 14.8V
- Discharge Rate: 60C
- Suggest Charge Rate: 1C (Max 5C)
- SIZE(H*W*L): 44*43*138mm
- Highlight: 60C remote control airplane batteries,
4s1P remote control airplane batteries,
4s1P 7200mah lipo battery

for more products please visit us on lohuite.com

Product Description

Product Description



Battery Type : LiPo

Capacity : 7200mAh

Voltage : 14.8V

Net Weight : 570g

Size (L*W*H) : 138*43*44mm

Assemble : 4S

Discharge Rate : 60C

Charge Rate : 1C to 5C

Charge Connector : XH-JST 5P

Discharge Connector : XT90



Brand : CODDAR

Model NO : CD6S720060

Battery Type : LiPo

Capacity : 7200mAh

Voltage : 22.2V

Net Weight : 830g

Size (L*W*H) : 140*43*64mm

Assemble : 6S

Discharge Rate : 60C

Charge Rate : 1C to 5C

Charge Connector : XH-JST 7P

Discharge Connector : XT90



Battery Type : LiPo

Capacity : 7200mAh

Voltage : 11.1V

Net Weight : 435g

Size (L*W*H) : 137*43*34mm

Assemble : 3S

Discharge Rate : 60C

Charge Rate : 1C to 5C

Charge Connector : XH-JST 4P

Discharge Connector : XT60

Amass Connector

★ Other connector if you need, please feel free contact me, thanks



XT90



XT60



XT90-S



T/Deans



EC5



XT150



XT150+AS150




EC3

Specification

item	value
Warranty	1year
Anode Material	Other
Chargeable	Yes
Application	Toys, Power Tools, BOATS FPV
Battery Size	Li-polymer
Brand Name	Lohuite
Model Number	4S LIPO BATTERY
Weight	570g
The charging ratio	14.8V
The discharge rate	14.8-15.3V
Storage Type	0-45
Capacity	7200mah
Cells	4s
Voltage per pack	14.8V
Discharge rate	60C
Suggest chargerr	Balance charge
Suggest charge rate	1C (Max 5C)
Suggest charger	Balance charger
Balancer Connector Type	3PINS JST-XH xt60

Packing & Delivery



Company Profile

WHY CHOOSE US ?

Our Factory



Other Supplier



15000 square meter



small workshop



clean & ordered
production line



messy & dirty
production line



modern production
equipments



handmade workshop




quarterly
security training



no security assurance



various certificate



no certification



Professional testing equipmen



no Qc



clean & thermostatic warehouse
(moisture & mildew-proof)



disordered warehouse

Lohuite in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,have 3 series lipo battery:High energy density,Low temperature and high temperature.



Shenzhen Lohuite Technology Co., Ltd.



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District,
Shenzhen