

## Long-lasting 5000mAh 11.1V 50C 100C RC Lipo Battery With Discharge Rate 50C-100C


### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: LOHUIITE
- Model Number: 4S LIPO BATTERY
- Minimum Order Quantity: 2 pieces
- Price: \$29.80/pieces 2-49 pieces




### Product Specification

- Battery Size: Li-polymer
- Weight: 173g
- The Charging Ratio: 14.8v
- The Discharge Rate: 14.8v-15.2V
- Storage Type: 0-45
- Anode Material: Other
- Application: Power Tools, Home Appliances, Uninterruptible Power Supplies, Toys, Electric Vehicles, BOATS, Electric Wheelchairs, Solar Energy Storage Systems, Golf Carts, Consumer Electronics, SUBMARINES, Electric Power Systems, Electric Bicycles/Scooters, Electric For
- Capacity: 5000mah
- Cells: 4s
- Voltage Per Pack: 14.8V
- Discharge Rate: 50C-100C



### More Images



Capacity	Dimension	Weight
25 2200mah 50C	89x34x20	114g±4.0g±0.20g
25 2600mah 50C	116x44x17	133g±4.0g±0.20g
25 3000mah 50C	155x45x16	200g±8.17g±0.57g
25 3000mah 50C Hard	138x46x24	250g±16.44g±0.89g
25 7000mah 50C Hard	138x46x24	315g±11.50g±0.88g
35 1000mah 50C	79x34x22	125g±4.44g±0.27g
35 1000mah 100C	80x34x22	141g±4.89g±0.37g
35 1800mah 50C	105x44x20	142g±5.62g±0.37g
35 2200mah 50C	106x44x24	189g±5.60g±0.37g
35 2600mah 50C T	116x44x20	189g±6.66g±0.47g
35 3000mah 50C	135x44x21	220g±7.85g±0.49g
35 3000mah 50C	155x44x24	270g±13.28g±0.88g
35 3000mah 50C	155x44x29	425g±14.99g±0.97g
35 3000mah 50C Hard	138x46x29	425g±14.99g±0.97g
45 1000mah 100C	79x34x29	144g±5.78g±0.36g
45 2200mah 50C	106x44x32	220g±7.76g±0.48g
45 2200mah 100C	135x44x30	174g±11.21g±0.76g
45 4000mah 50C	135x44x33	453g±14.27g±0.88g
45 5000mah 50C	155x44x32	452g±17.35g±1.08g
45 5000mah 50C	155x44x38	503g±18.86g±1.23g
65 1800mah 50C	155x44x40	270g±9.83g±0.50g
65 3000mah 50C	135x44x42	436g±15.37g±0.98g
65 3000mah 50C	155x44x48	725g±25.87g±1.58g
65 6000mah 50C	155x44x54	850g±28.82g±1.78g

### Amass Connector

★ Other connector if you need, please feel free contact me, thanks



### Application



## Product Description



## Product Description

Product Description

## Application



Drones



RC Cars



RC Boat



RC Helicopters



FPV Racing



RC Airplane

# Amass Connector

★ Other connector if you need, please feel free contact me, thanks



XT90



XT60



XT90-S



T/Deans



EC5



XT150



XT150+AS150



EC3

Capacity	Size(mm)	Weight
2S 2200mah 50C	88x34x20	114g=4oz=0.25lb
2S 2600mah 30C	115x34x17	131g=4.62oz=0.28lb
2S 5000mah 50C	155x48x16	260g=9.17oz=0.57lb
2S 6000mah 60C Hard	138x46x24	295g=10.4oz=0.65lb
2S 7000mah 55C Hard	138x46x24	312g=11oz=0.68lb
3S 1500mah 65C	70x43x22	125g=4.4oz=0.27lb
3S 1500mah 100C	90x34x22	141g=4.97oz=0.31lb
3S 1800mah 50C	105x34x20	142g=5oz=0.31lb
3S 2200mah 30C	106x34x24	168g=5.92oz=0.37lb
3S 2600mah 35C T	115x34x26	189g=6.66oz=0.41lb
3S 3000mah 60C	135x42x21	225g=7.93oz=0.49lb
3S 5000mah 50C	155x48x24	376g=13.26oz=0.86lb
3S 6000mah 50C	155x44x29	425g=14.99oz=0.93lb
3S 6000mah 50C Hard	138x46x39	425g=14.99oz=0.93lb
4S 1500mah 100C	70x43x29	164g=5.78oz=0.36lb
4S 2200mah 30C	106x34x32	220g=7.76oz=0.48lb
4S 3300mah 60C	135x42x30	318g=11.21oz=0.7lb
4S 4000mah 60C	135x42x33	403g=14.21oz=0.88lb
4S 5000mah 50C	155x48x32	492g=17.35oz=1.08lb
4S 6000mah 50C	155x44x38	558g=19.68oz=1.23lb
6S 1800mah 50C	105x34x40	270g=9.52oz=0.59lb
6S 3300mah 60C	135x42x42	436g=15.37oz=0.96lb
6S 5000mah 50C	155x48x48	725g=25.57oz=1.59lb
6S 6000mah 50C	155x48x54	809g=28.53oz=1.78lb

## Specification


Specification

item	value
Warranty	3months-1year
Anode Material	Other
Chargeable	Yes

Application	Toys, Power Tools, BOATS
Battery Size	Li-polymer
Brand Name	LHT
Model Number	3S LIPO BATTERY
Weight	376g
The charging ratio	11.1V
The discharge rate	11.1-11.4V
Storage Type	0-45
Capacity	5000mah
Cells	3s
Voltage per pack	11.1V
Discharge rate	50C-100C
Suggest chargerr	Balance charge
Suggest charge rate	1C ( Max 5C)
Suggest charger	Balance charger
Balancer Connector Type	JST-XH xt60

### Packing & Delivery

Packing & Delivery



### Company Profile

Company Profile



# WHY CHOOSE US ?

Our Factory



Other Supplier



15000 square meter



small workshop



clean & ordered  
production line



messy & dirty  
production line



modern production  
equipments



handmade workshop



quarterly  
security training



no security assurance



various certificate



no certification



Professional testing equipmen



no Qc



clean & thermostatic warehouse  
(moisture & mildew-proof)



disordered warehouse

LOHUIE in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.Mainly Topenergy have 3 series lipo battery:High energy density,Low temperature and high temperature.

## FAQ

### FAQ

1. who are we?

We are based in Guangdong, China, start from 2001, sell to North America(27.00%), South America(25.00%), South Asia(10.00%), Southern Europe(10.00%), Central America(10.00%), Eastern Europe(10.00%), Domestic Market(1.00%), Oceania(1.00%), Africa(1.00%), Northern Europe(1.00%), Southeast Asia(1.00%), Western Europe(1.00%), Eastern Asia(1.00%), Mid East(1.00%). There are total about 301-500 people in our office.

## **2. how can we guarantee quality?**

Always a pre-production sample before mass production;  
Always final Inspection before shipment;

## **3. what can you buy from us?**

lithium polymer battery, lipo battery, nimh battery, battery, lithium ion battery

## **4. why should you buy from us not from other suppliers?**

LOHUIITE specialized in manufacturing lithium polymer batteries since 2001 for digital devices, hobbies & toys, gps, medical, military, electric vehicles...etc. Mainly Topenergy have 3 series lipo battery: High energy density, Low temperature and high temperature.

## **5. what services can we provide?**

Accepted Delivery Terms: FOB, CFR, CIF, EXW, FAS, CIP, FCA, CPT, DEQ, DDP, DDU, Express Delivery, DAF, DES

Accepted Payment Currency: USD, EUR, JPY, CAD, AUD, HKD, GBP, CNY, CHF;

Accepted Payment Type: T/T, L/C, D/P, D/A, MoneyGram, Credit Card, PayPal, Western Union, Cash, Escrow;

Language Spoken: English, Chinese, Spanish, Japanese, Portuguese, German, Arabic, French, Russian, Korean, Hindi, Italian



**Shenzhen Lohuite Technology Co., Ltd.**



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen