

## Other Anode Material 6S Lipo Battery 22.2v 5000mah 50C 100C Drone Battery with XT90

Our Product Introduction

for more products please visit us on lohuite.com

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: LOHUIITE
- Model Number: 6S LIPO BATTERY
- Minimum Order Quantity: 2 pieces
- Price: \$49.90/pieces 2-49 pieces




### Product Specification

- Battery Size: Li-polymer
- Weight: 725g
- The Charging Ratio: 22.2v
- The Discharge Rate: 22.2-22.8V
- Storage Type: 0-45
- Anode Material: Other
- Application: Power Tools, Home Appliances, Uninterruptible Power Supplies, Toys, Electric Vehicles, BOATS, Electric Wheelchairs, Solar Energy Storage Systems, Golf Carts, Consumer Electronics, SUBMARINES, Electric Power Systems, Electric Bicycles/Scooters, Electric For
- Capacity: 5000mah
- Cells: 6s
- Voltage Per Pack: 22.2V
- Discharge Rate: 50C-100c

**BATTERY PAPERMETER**

Capacity	Voltage	Discharge Rate	Size	Weight
3300mah	22.2V	60C	135x42x45mm	467g
4000mah	22.2V	60C	135x42x49mm	590g
4200mah	22.2V	60C	135x42x51mm	605g
5000mah	22.2V	50C	155x48x48mm	725g
5200mah	22.2V	50C	135x42x60mm	718g
6200mah	22.2V	50C	155x48x54mm	812g



### More Images



BATTERY PAPER

Capacity	Voltage	Discharge Rate	Size	Weight
3300mah	22.2V	60C	135x42x45mm	467g
4000mah	22.2V	60C	135x42x49mm	590g
4200mah	22.2V	60C	135x42x51mm	605g
5000mah	22.2V	50C	155x48x48mm	725g
5200mah	22.2V	50C	135x42x60mm	718g
6200mah	22.2V	50C	155x48x54mm	812g



Product Description

Product Description

Application



Drones



RC Cars



RC Boat



RC Helicopters



FPV Racing



RC Airplane

# Amass Connector

★ Other connector if you need, please feel free contact me, thanks



XT90



XT60



XT90-S



T/Deans



EC5



XT150



XT150+AS150



EC3

Capacity	Size(mm)	Weight
2S 2200mah 50C	88x34x20	114g=4oz=0.25lb
2S 2600mah 30C	115x34x17	131g=4.62oz=0.28lb
2S 5000mah 50C	155x48x16	260g=9.17oz=0.57lb
2S 6000mah 60C Hard	138x46x24	295g=10.4oz=0.65lb
2S 7000mah 55C Hard	138x46x24	312g=11oz=0.68lb
3S 1500mah 65C	70x43x22	125g=4.4oz=0.27lb
3S 1500mah 100C	90x34x22	141g=4.97oz=0.31lb
3S 1800mah 50C	105x34x20	142g=5oz=0.31lb
3S 2200mah 30C	106x34x24	168g=5.92oz=0.37lb
3S 2600mah 35C T	115x34x26	189g=6.66oz=0.41lb
3S 3000mah 60C	135x42x21	225g=7.93oz=0.49lb
3S 5000mah 50C	155x48x24	376g=13.26oz=0.86lb
3S 6000mah 50C	155x44x29	425g=14.99oz=0.93lb
3S 6000mah 50C Hard	138x46x39	425g=14.99oz=0.93lb
4S 1500mah 100C	70x43x29	164g=5.78oz=0.36lb
4S 2200mah 30C	106x34x32	220g=7.76oz=0.48lb
4S 3300mah 60C	135x42x30	318g=11.21oz=0.7lb
4S 4000mah 60C	135x42x33	403g=14.21oz=0.88lb
4S 5000mah 50C	155x48x32	492g=17.35oz=1.08lb
4S 6000mah 50C	155x44x38	558g=19.68oz=1.23lb
6S 1800mah 50C	105x34x40	270g=9.52oz=0.59lb
6S 3300mah 60C	135x42x42	436g=15.37oz=0.96lb
6S 5000mah 50C	155x48x48	725g=25.57oz=1.59lb
6S 6000mah 50C	155x48x54	809g=28.53oz=1.78lb

## Specification

Specification


item	value
Warranty	3months-1year
Anode Material	Other
Chargeable	Yes



Application	Toys, Power Tools, BOATS
Battery Size	Li-polymer
Brand Name	LHT
Model Number	2S LIPO BATTERY
Weight	590g
The charging ratio	22.2V
The discharge rate	22.2-22.8V
Storage Type	0-45
Capacity	4000mah
Cells	6s
Voltage per pack	22.2V
Discharge rate	60C-120C
Suggest chargerr	Balance charge
Suggest charge rate	1C ( Max 5C)
Suggest charger	Balance charger
Balancer Connector Type	3PINS JST-XH

#### Packing & Delivery

Packing & Delivery



#### Company Profile

Company Profile

LOHUIE in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.Mainly Topenergy have 3 series lipo battery:High energy density,Low temperature and high temperature.

#### FAQ

FAQ

##### 1. who are we?

We are based in Guangdong, China, start from 2001,sell to North America(27.00%),South America(25.00%),South Asia(10.00%),Southern Europe(10.00%),Central America(10.00%),Eastern Europe(10.00%),Domestic Market(1.00%),Oceania(1.00%),Africa(1.00%),Northern Europe(1.00%),Southeast Asia(1.00%),Western Europe(1.00%),Eastern Asia(1.00%),Mid East(1.00%). There are total about 301-500 people in our office.

##### 2. how can we guarantee quality?

Always a pre-production sample before mass production;  
Always final Inspection before shipment;

##### 3.what can you buy from us?

lithium polymer battery,lipo battery,nimh battery,battery,lithium ion battery

#### **4. why should you buy from us not from other suppliers?**

LOHUIITE specialized in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.Mainly Topenergy have 3 series lipo battery:High energy density,Low temperature and high temperature.

#### **5. what services can we provide?**

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FAS,CIP,FCA,CPT,DEQ,DDP,DDU,Express Delivery,DAF,DES

Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;

Accepted Payment Type: T/T,L/C,D/P D/A,MoneyGram,Credit Card,PayPal,Western Union,Cash,Escrow;

Language Spoken:English,Chinese,Spanish,Japanese,Portuguese,German,Arabic,French,Russian,Korean,Hindi,Italian



**Shenzhen Lohuite Technology Co., Ltd.**



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District,  
Shenzhen