

11.1V 2200mAh 3S 70C LiPo Battery for RC Helicopter Aircraft Quadcopter Cars Airplane

Our Product Introduction

for more products please visit us on lohuite.com

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: LOHUIITE
- Model Number: 3S LIPO BATTERY
- Minimum Order Quantity: 2 pieces
- Price: \$12.90/pieces 2-49 pieces




Product Specification

- Battery Size: Li-polymer
- Weight: 240g
- The Charging Ratio: 11.1v
- The Discharge Rate: 11.1-11.4V
- Storage Type: 0-45
- Anode Material: Other
- Application: Power Tools, Home Appliances, Uninterruptible Power Supplies, Toys, Electric Vehicles, BOATS, Electric Wheelchairs, Solar Energy Storage Systems, Golf Carts, Consumer Electronics, SUBMARINES, Electric Power Systems, Electric Bicycles/Scooters, Electric For
- Capacity: 2200mah
- Cells: 3s
- Voltage Per Pack: 11.1V
- Discharge Rate: 70C-140c



More Images



Product Description

2S 7.4V 5000mAh 60C: Compact and powerful at 155mmx48mmx16mm and 260g.

3S 11.1V 6000mAh 60C (Hard Case): Designed for durability and performance at 155mmx48mmx27mm and 419g.

4S 14.8V 5000mAh 60C: Ideal for high-performance RC vehicles, measuring 155mmx48mmx32mm and weighing 492g.

6S 22.2V 4000mAh 60C: For the ultimate power boost, at 135mmx42mmx48mm and 596g.



PRODUCT DETAILS



2200mAh
Capacity



3S1P
Configuration



11.1V
Voltage



70C
Discharge Rate



33mm
(1.2 inch)

25mm
(0.9 inch)

75mm
(2.5 inch)




JST-XHR-4P



XT 60



Soft Case



Weight (0.48lb)

2S 7.4V 5000mAh 60C: Compact and powerful at 155mmx48mmx16mm and 260g.

3S 11.1V 6000mAh 60C (Hard Case): Designed for durability and performance at 155mmx48mmx27mm and 419g.
 4S 14.8V 5000mAh60C: Ideal for high-performance RC vehicles, measuring 155mmx48mmx32mm and weighing 492g.
 6S 22.2V 4000mAh 60C: For the ultimate power boost, at 135mmx42mmx48mm and 596g.

Specification

Specification	
item	value
Warranty	3months-1year
Anode Material	Other
Chargeable	Yes
Application	Toys, Power Tools, BOATS
Battery Size	Li-polymer
Brand Name	LHT
Model Number	3S LIPO BATTERY
Weight	240g
The charging ratio	11.1V
The discharge rate	11.1-11.4V
Storage Type	0-45
Capacity	2200mah
Cells	3s
Voltage per pack	11.1V
Discharge rate	70C-140C
Suggest chargerr	Balance charge
Suggest charge rate	1C (Max 5C)
Suggest charger	Balance charger
Balancer Connector Type	4PINS T

Company Profile

Company Profile

LOHUIITE in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.Mainly Topenergy have 3 series lipo battery:High energy density,Low temperature and high temperature.

FAQ

FAQ

1. who are we?

We are based in Guangdong, China, start from 2001,sell to North America(27.00%),South America(25.00%),South Asia(10.00%),Southern Europe(10.00%),Central America(10.00%),Eastern Europe(10.00%),Domestic Market(1.00%),Oceania(1.00%),Africa(1.00%),Northern Europe(1.00%),Southeast Asia(1.00%),Western Europe(1.00%),Eastern Asia(1.00%),Mid East(1.00%). There are total about 301-500 people in our office.

2. how can we guarantee quality?

Always a pre-production sample before mass production;
 Always final Inspection before shipment;

3.what can you buy from us?

lithium polymer battery,lipo battery,nimh battery,battery,lithium ion battery

4. why should you buy from us not from other suppliers?

LOHUIITE specialized in manufacturing lithium polymer batteries since 2001 for digital devices,hobbies&toys,gps,medical,military,electric vehicles...etc.Mainly Topenergy have 3 series lipo battery:High energy density,Low temperature and high temperature.

5. what services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FAS,CIP,FCA,CPT,DEQ,DDP,DDU,Express Delivery,DAF,DES
 Accepted Payment Currency:USD,EUR,JPY,CAD,AUD,HKD,GBP,CNY,CHF;
 Accepted Payment Type: T/T,L/C,D/P D/A,MoneyGram,Credit Card,PayPal,Western Union,Cash,Escrow;
 Language Spoken:English,Chinese,Spanish,Japanese,Portuguese,German,Arabic,French,Russian,Korean,Hindi,Italian



Shenzhen Lohuite Technology Co., Ltd.



15007080727



shenzhen@longyun.xyz



lohuite.com

4105, Unit 1, Building B, No. 999 Meilong Avenue, Jingxin Community, Longhua Street, Longhua District, Shenzhen